

IS SE SIDAM JORO, OR 17122

CM 0165 MATERIAL SAFETY DATA SHEET.

PRODUCT NAME: ACRI-LITE PRODUCT CODE: 7000 - 7046

HMIS CODES: H F R

(WATER)

MANUFACTURER IDENTIFICATION ============= SECTION I

MANUPACTURER'S NAME: MILLER PAINT CO., INC.

ADDRESS: 12730 N.E. Whitaker Way, Portland, OR 97230

EMERGENCY PHONE: 1-800-424-9300 INFORMATION PHONE: (503) 255-0190 DATE REVISED : 03-25-91 NAME OF PREPARER : Buckinger/Serra

HAZARDOUS INGREDIENTS/SARA III INFORMATION ====== SECTION II

OCCUPATIONAL EXPOSURE LIMITS VAPOR PRESSURE WEIGHT HAZARDOUS COMPONENTS CAS AUNBER OSEA TWA ACCIE TVA OSEA STEL ma lig & TEMP PERCENT ²Ethylene Glycol 107-21-1 50 ppm C 50 ppm C **SE?** 2 -3-

======== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS ===========

SPECIFIC GRAVITY (H2O=1): 1.2 - 1. 212-387 Deg F BOILING POINT: VAPOR DENSITY: LIGHTER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER

SOLUBILITY IN WATER: YES APPEARANCE AND ODOR: N/A

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

METHOD USED: SETA PLASH POINT: N/A

PLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: N/A

SPECIAL FIREFIGHTING PROCEDURES

per people away. Do not enter confined fire space without proper protective equipment including a HIOSE approved selfentained breathing apparatus. Cool closed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS

Closed containers may explode when exposed to extreme heat. During emergency conditions, overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

Indicates toric chemical(s) subject to the reporting requirements of section 313 of fitle III and of 40 CFR 372.

EXECUTED SECTION V - REACTIVITY DATA SESSESSESSESSESSESSES

STABILITY: STABLE CONDITIONS TO AVOID.

Scat

INCOMPATIBILITY (MATERIALS TO AVOID)

Kate

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

Total

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE
Vapors or mists can cause drowsiness, cough, broachitis, blurred vision, irritation of micros membranes, mausea, headache, distiness, reakness and loss of coordination.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE by case irritation.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE by cause irritation.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE by cause headache, gastrointestinal irritation, nausea, routing and diarrhea.

HEALTH HAZARDS (ACUTE AND CHRONIC)
This product may contain some materials which at a normal low level should not present a problem.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE by respiratory or skin condition may be appropried.

EMERGENCY AND FIRST AID PROCEDURES

Inhalation: Remove to fresh air.

Pres: Flush immediately with water. Consult physician if irritation persists.

Skin: Remove with soap and water. Remove contaminated clothing.

logestion: Drink 1 to 2 glasses of water to dilute. DO NOT induce remiting. Consult physician or poison control

center immediately. Treat symptomatically,

3/27/91

						•	7 Y		
******	SECTION VII	-	PRECAUTIONS	FOR	SAPE	HANDI.ING	AND	USE	222232222 2

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED leep unnecessary people away. Tentilate enclosed spaces and avoid breathing vapors. Wear protective equipment, observing procurtions on this sheet. Dike, contain and sout up spill with inert material (such as clay or sand).

WASTE DISPOSAL METHOD

Place in non-leaking containers, seal tightly and label properly for disposal. I health hazard may still exist since absorbent materials will only absorb liquid; they will not absorb vapors. Observe all federal, state and local regulations concerning disposal of bazardous waste.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep containers closed when not in use. Store and use only in well wentilated areas. Award breathing vapors or spray mist. Avoid eye or skin contact. Wash thoroughly after handling. Never transfer material to an unlabeled container.

OTHER PRECAUTIONS

Read and observe precautions on product label and this sheet. Reep out of reach of children. 'Empty' containers may be hazardous from residues of product and paper and all cautions of this sheet apply to them.

RESPIRATORY PROTECTION

Tome required under normal conditions. Filter recommended to remove solid airborne particles of overspray during spray application.

VENTILATION

Not for use in confined areas. Use only with adequate ventilation.

PROTECTIVE GLOVES

Ione required under normal conditions.

EYE PROTECTION

Face shield recommended for spray application.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

None required under normal conditions.

WORK/HYGIENIC PRACTICES

Wash hands before eating, drinking, snoking or using the washroom.

DISCLAIMER

The information contained in this Material Safety Data Sheet is based on the data available to us and is believed to be correct. However, we assume no responsibility for any inaccuracies that may subsequently be proven. Purchaser assumes all risk in his use of the material even when recommended safety procedures are followed.