$\mathcal{C}$	PNT007		215	HOOLS	MATERI	AL SAFETY	DATA SHEI	ET. CM 0166
	PRODUCT NAME: ACRI-LITE WE PRODUCT CODE: 7052 (WATER) =================== SECTION I					IS CODE:	. 1 0	
-	MANUFACTURER'S NAME: MILLE ADDRESS: 12730 N.E. Whitak EMERGENCY PHONE: 1-800-424 DATE REVISED : 03-25-91	R PAINT er Way, -9300	CO., Port	INC. land, INFOR	OR 972 MATION	30 PHONE: (	(503) 2	55-0190 er/Serra
	====== SECTION II - HA	ZARDOUS	INGR	EDIENT	'S/SARA	III INFO	ORMATIO	N ZZZZZZŻ
	EALARDOUS COMPONENTS	CLS RUNCEER O				VAPOR PRESSURE IM Eq ( TEMP		
	*Ethylene Glycol	107-21-1 5	50 ppal C	50 ppm C		0.1 . 687	3:	
	* Indicates toxic chemical(s) subject to the reporti	ng requirement	ts of section	m 313 of Ti	tle III and of	40 CPR 372.		· ·

BOILING POINT: 212-387 Deg F VAPOR DENSITY: LIGHTER THAN AIR SOLUBILITY IN WATER: YES APPEARANCE AND ODOR: N/A SPECIFIC GRAVITY (H2O=1): 1.3 EVAPORATION RATE: SLOWER THAN ETHER

FLASH POINT: N/A METHOD USED: N/A FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: N/A

.

SPECIAL FIREFIGHTING PROCEDURES Leep people away. Do not enter confined fire space without proper protective equipment including a MIOSE approved selfintained breathing apparatus. Cool closed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS Closed containers may explode when exposed to extreme heat. During emergency conditions, overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Obtain medical attention.

-

TAUL 2 OF

3/27/91

EXECUTION V - REACTIVITY DATA SECTION V - REACTIVITY DATA

STABILITY: STABLE -CONDITIONS TO AVOID None

INCOMPATIBILITY (MATERIALS TO AVOID) Kate

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE Vapors or mists can cause drowsiness, cough, bronchitis, blurred vision, irritation of micros membranes, mauser, beadache, disriness, realness and loss of coordination.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE My cause invitation.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE My cause initation.

 INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE Nay cause beadache, gastrointestinal irritation, sausea, romiting and diarrhea.

HEALTH HAZARDS (ACUTE AND CHRONIC) This product my contain some materials which at a normal low level should not present a problem.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE hay respiratory or skin condition my be approvated.

EMERGENCY AND FIRST AID PROCEDURES
Inhalation: Remove to fresh air.
Byes: Flush immediately with water. Consult physician if irritation persists.

Skin: Remove with scap and water. Remove contamnated clothing.
Independence of the scap and water is a supermeter of the scap and water is a scap and water

PAGE 3 OF5

## \*====== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE ##=====######

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED rep unnecessary people away. Ventilate enclosed spaces and avoid breathing vapors. Near protective equipment, conserving procentions on this sheet. Dike, contain and soak up spill with inert material (such as clay or sand).

### WASTE DISPOSAL METHOD

Place in non-leaking containers, seal tightly and label properly for disposal. A health basard may still exist since absorbent materials will only absorb liquid; they will not absorb wapors. Observe all federal, state and local regulations concerning disposal of basardous waste.

#### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Keep containers closed when not in use. Store and use only in well ventilated areas. Avoid breathing vapors or spray mist. Avoid eye or shin contact. Wash thoroughly after handling. Tever transfer material to an unlabeled container.

OTHER PRECAUTIONS Read and observe precautions on product label and this sheet. Keep out of reach of children. 'Empty' containers may be hazardous from residues of product and vapor and all cautions of this sheet apply to them.

\_\_\_\_\_**\_\_\_**\_**\_\_\_**\_**\_\_**\_**\_\_**\_\_

#### RESPIRATORY PROTECTION

None required under normal conditions. Filter recommended to remove solid airborne particles of overspray during spray application.

# VENTILATION

Not for use in confined areas. Use only with adequate ventilation.

PROTECTIVE GLOVES Igne required under narmal conditions.

EXE PROTECTION face shield recommended for spray application.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT Ione required under normal conditions.

WORK/HYGIENIC PRACTICES Iash hands before eating, drinking, smoking or using the washroom.

#### DISCLÄIMER

The information contained in this Material Safety Data Sheet is based on the data available to us and is believed to be correct. However, we assume no responsibility for any inaccuracies that may subsequently be proven. Purchaser assumes all risk in his use of the material even when recommended safety procedures are followed.