1950-51 PCH140 MATERIAL SAFETY DATA SHEET EASTMAN KODAK COMPANY 343 STATE STREET ROCHESTER, NEW YORK 14650 FOR EMERGENCY HEALTH, SAFETY, AND ENVIRONMENTAL INFORMATION, CALL 716 722-5151 FOR OTHER PURPOSES, CALL THE MARKETING AND DISTRIBUTION CENTER IN YOUR AREA. DATE OF PREPARATION: 4/23/85 FORM APPROVED BY U.S. DEPARTMENT OF LABOR SECTION I. IDENTIFICATION PRODUCT NAME: L-(-)-PROLINE SIZE(S): CAT 114 6745 - BULK; CAT 114 6752 - 25 G; CAT 114 6760 -100 G SYNDNYM(S): 2-PYRROLIDINECARBOXYLIC ACID FORMULA: C5H9ND2 KODAK LABORATORY CHEMICALS CATALOG NUMBER(S): 2488 KODAK ACCESSION NUMBER: 902488 KODAK HAZARD RATING CODES: R: U≑ S: U≑ F: 1 C: 0 ≎UNKNOWN SECTION II. PRODUCT AND COMPONENT HAZARD DATA WEIGHT KODAK COMPONENT(S): PERCENT TLV(R) A. ACCESSION NO. CAS REG. NO. L-(-)-PROLINE APPROX 100 902488 147-85-3 . PRECAUTIONARY LABEL STATEMENT(S): 8. LOW HEALTH HAZARD FOR USUAL INDUSTRIAL HANDLING SECTION III. PHYSICAL DATA APPEARANCE AND ODOR: COLORLESS CRYSTALS; ODORLESS MELTING WITH DECOMPOSITION: 221 C (430 F) VAPOR PRESSURE: NEGLIGIBLE EVAPORATION RATE (N-BUTYL ACETATE = 1): NEGLIGIBLE VAPOR DENSITY (AIR = 1): NOT APPLICABLE VOLATILE FRACTION BY WEIGHT: NEGLIGIBLE SPECIFIC GRAVITY (H20 = 1): NOT AVAILABLE SOLUBILITY IN WATER (BY WEIGHT): APPRECIABLE SECTION IV. FIRE AND EXPLOSION HAZARD DATA EXTINGUISHING MEDIA: WATER SPRAY; DRY CHEMICAL: CO2 SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. UNUSUAL FIRE AND EXPLOSION HAZARDS: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. R-0304+200 82-0799

1950-57

SECTION Y. REACTIVITY DATA

- STABILITY: STABLE
- INCOMPATIBILITY: STRONG OXIDIZERS
  - HAZARDOUS DECOMPOSITION PRODUCTS: AS WITH ANY OTHER ORGANIC MATERIAL, COMBUSTION WILL PRODUCE CARBON DIOXIDE AND PROBABLY CARBON MONOXIDE. OXIDES OF NITROGEN MAY ALSO BE PRESENT.
- HAZAROOUS POLYMERIZATION: WILL NOT OCCUR.

- SECTION VI. TOXICITY AND HEALTH HAZARD DATA A. EXPOSURE LIMITS: NOT ESTABLISHED
  - B. EXPOSURE EFFECTS:

THE TOXICOLOGICAL PROPERTIES OF THIS MATERIAL HAVE NOT BEEN INVESTIGATED. HOWEVER, THIS CHEMICAL IS A NATURALLY OCCURRING, NON-ESSENTIAL AMINO ACID AND IS BELIEVED TO PRESENT A LOW HEALTH HAZARD FOR USUAL INDUSTRIAL HANDLING.

C. FIRST AID:

INHALATION: REMOVE TO FRESH AIR.

- EYES: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER AND GET MEDICAL ATTENTION IF ANY SYMPTOMS ARE PRESENT AFTER WASHING.
- SKIN: IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER AND GET MEDICAL ATTENTION IF SYMPTOMS ARE PRESENT AFTER WASHING.

⋍⋪⋻⋪⋾⋠⋇⋇⋵⋧⋧⋇⋇⋵⋧⋧⋵⋧⋧⋵⋧⋧⋵⋧⋧⋵⋬⋧⋓⋹⋧⋳⋳⋳⋧⋧⋧⋐⋬⋧⋺⋹⋕⋬⋓⋐⋪⋧⋻**⋳∊⋧⋧⋧⋧**⋧⋸⋇⋇⋇⋧⋵⋵⋇⋇⋴⋲⋼∊⋹⋇⋇⋵∊∊∊∊∊

SECTION VII. PERSONAL PROTECTION AND CONTROLS

A. RESPIRATORY PROTECTION:

AN APPROPRIATE NIOSH-APPROVED RESPIRATOR FOR DUST SHOULD BE WORN IF NEEDED.

B. VENTILATION:

LOCAL EXHAUST: IF NEEDED TO CONTROL DUST. MECHANICAL (GENERAL): RECOMMEND AT LEAST TEN AIR CHANGES PER HOUR FOR GOOD GENERAL ROOM VENTILATION.

C. SKIN AND EYE PROTECTION:

SAFETY GLASSES SHOULD BE WORN IN ANY TYPE OF INDUSTRIAL OPERATION.

SECTION VIII. SPECIAL STORAGE AND HANDLING PRECAUTIONS

KEEP FROM CONTACT WITH OXIDIZING MATERIALS.

82-0799

1950-57

CTIDN IX. SPILL, LEAK, AND DISPOSAL PROCEDURES SMALL AMOUNT - FLUSH MATERIAL TO SEWER WITH LARGE AMOUNTS DF WATER. LARGE AMOUNT - PACKAGE APPROPRIATELY FOR SAFE FEED TO AN INCINERATOR DR DISSOLVE IN COMPATIBLE WASTE SOLVENTS PRIDR TO INCINERATION. DISPOSE IN AN APPROVED INCINERATOR EQUIPPED WITH AFTERBURNER AND SCRUBBER OR CONTRACT WITH LICENSED CHEMICAL WASTE DISPOSAL SERVICE. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE, OR LOCAL LAWS.
SECTION X. ENVIRONMENTAL EFFECTS DATA A. SUMMARY: Some published data are available for this chemical, and these data have been used to provide the following estimate of Environmental impact: 1,2
THIS CHEMICAL HAS A MODERATE BIDLOGICAL OXYGEN DEMAND, AND IT MAY CAUSE DXYGEN DEPLETION IN AQUATIC SYSTEMS. THIS CHEMICAL IS MODERATELY BIDDEGRADABLE AND IS NOT EXPECTED TO PERSIST IN THE ENVIRONMENT. IT IS NOT LIKELY TO BICONCENTRATE. IF DILUTED WITH WATER, THIS CHEMICAL RELEASED INTO THE ENVIRONMENT IS NOT EXPECTED TO HAVE A SIGNIFICANT IMPACT. B. BIDDEGRADABILITY: TREATMENT DF DL-PROLINE WITH ACTIVATED SLUDGE LED TO AN DXIDATION OF 4.8 % DF THOD, 13.1 % OF THOD, AND 25.2 % DF THDO AFTER 6-, 12-, AND 24-HOURS, RESPECTIVELY. C. BIOCONCENTRATION POTENTIAL: DCTANOL/WATER PARTITION COEFFICIENT: LDG P = -2.54; P = 0.0029(2)
SECTION XI. TRANSPORTATION FOR TRANSPORTATION INFORMATION REGARDING THIS PRODUCT, PLEASE PHONE THE EASTMAN KODAK DISTRIBUTION CENTER NEAREST YOU: ROCHESTER, NY (716) 254-1300; DAK BRODK, IL (312) 654-5300; CHAMBLEE, GA (404) 455-0123; DALLAS, TX (214) 241-1611; WHITTIER, CA (213) 945-1255; HONOLULU, HI (808) 833-1661.
<ul> <li>SECTION XII. REFERENCES         <ul> <li>VERSCHUEREN, K., HANDBODK DF ENVIRONMENTAL DATA ON ORGANIC CHEMICALS, SECOND EDITION, VAN NOSTRAND REINHOLD COMPANY, NEW YORK, N.Y., 1983.</li> <li>POMONA COLLEGE, MEDICINAL CHEMISTRY PROJECT, "CHEMICAL PARAMETER DATA BASE," LEO, A.J. AND HANSCH, C., EDS., SEAVER CHEMISTRY LABORATORY, CLAREMONT, CALIFORNIA, JUNE 22, 1983.</li> </ul> </li> </ul>
THE INFORMATION HEREIN IS BELIEVED TO BE CORRECT AS OF THE DATE HEREDF, BUT IS PROVIDED WITHOUT ANY WARRANTY OF ANY KIND.
R=0304•200 ∂114=6745≎ ∂114=6752≎ ∂114=6760≎ ∂2488≎ 82=0799

.

•

-

-