



630

1001

U.S. Department of Labor

Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

may be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
used for specific requirements

IDENTITY (As Used on Label and List)

Gestetner #217 Colored Ink

Note: Blank spaces are not permitted. If any item is not applicable, or no
information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name

Gestetner Manufacturing Limited

Emergency Telephone Number

01-808-1050 (London)

Address (Number, Street, City, State, and ZIP Code)

P. O. Box 466, London N17 9LT, England

Telephone Number for Information

914-968-6666

Date Prepared

September 1986

Signature of Preparer (optional)

Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
4-chloro-3 methylphenol				0.9%
copper oxquinolate				0.4%

Section III — Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	approx.	1.0
Vapor Pressure (mm Hg)	N/A	Melting Point		N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)		N/A
Solubility in Water	none			

Appearance and Odor

Colored oily paste, nearly odorless

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	above 160°C	Flammable Limits	N/A	LEL	UEL
Extinguishing Media	foam or gas				

Special Fire Fighting Procedures

Ink will not act as a source of ignition, but will burn with smoke if

involved in a fire. The fumes may contain carbon monoxide and should not be inhaled.

Unusual Fire and Explosion Hazards

none

Section V — Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	none

Incompatibility (Materials to Avoid)

Hazardous Decomposition or Byproducts

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	none

Section VI — Health Hazard Data

Route(s) of Entry: Inhalation? Skin? Ingestion?

Health Hazards (Acute and Chronic) none

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Signs and Symptoms of Exposure N/A

Medical Conditions Generally Aggravated by Exposure

Emergency and First Aid Procedures N/A

Section VII — Precautions for Safe Handling and UseSteps to Be Taken in Case Material Is Released or Spilled
Small spills wipe up with VM&P Naphtha or Kerosene
Large spills shovel up with sawdust and then mop with Kerosine etc Ventilate area.

Waste Disposal Method As for waste engine oil.

Precautions to Be Taken in Handling and Storing A secondary hazard. Do not use defatting volatile solvents to clean the skin. Use cleansing cream and then wash with soap and water Store out of reach of children.
Other Precautions none**Section VIII — Control Measures**

Ventilation	Local Exhaust	Special
	Mechanical (General)	Other

Protective Gloves none Eye Protection none

Other Protective Clothing or Equipment none

Work/Hygienic Practices none